

Dishaa[®]

MANUAL & ELECTRIC
PIPE BENDING MACHINE

CONTACT US

P.O. BOX: 80899, Dubai, UAE

Mob: +971 50 9696 477

Email: sajith@dishaagroup.com


Website: www.dishaagroup.com

Manual Hydraulic Pipe Bending Machine



Product Description

- Simple manual hydraulic operation for easy use.
- Completely manual hydraulic operation so external power is not needed.
- Heavy-duty hydraulic cylinder capable of bending schedule 40 pipe.
- Cold bending pipes only in one turn. Up to 90 degree, hydraulic equipment makes more precise bending.
- Pipe stands are also included for better bending experience.
- Suitable for cold bending of thick-walled pipes(gas,water and steam pipes, non-heated black iron pipes, galvanized pipes), up to 90°



Bending illustration

Specifications

Model No.	Max	Max stroke	Bending dies	Pipe wall thickness	G. W.	Dimension
DPB-2J	13T	250mm	1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	2.75-4.5mm	53kg	73×32×20cm
DPB-3J	20T	290mm	1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"	2.75-5mm	105kg	94×40×21cm
DPB-4J	23T	370mm	1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4"	2.75-6mm	155kg	118×46×23cm

Electric Hydraulic Pipe Bending Machine



optional tripod stand

Product Description

- Electric hydraulic bender up to 4" pipe.
- Using range: applicable to general pipe, conductor pipe, gas pipe, the thick steel pipe, etc. , bending angle up to 90 degree.
- All bending dies are made of cast iron than ordinary grey cast iron. With high strength, good toughness and plasticity, more resistant to use, not easy to break.
- Fast setup and disassembly, convenient removing with bottom wheels.
- Stands are optional instead of bottom wheels.
- Equipped with HL-630A one-way pumps for single-acting applications.
- Suitable for cold bending of thick-walled pipes(gas,water and steam pipes, non-heated black iron pipes, galvanized pipes), up to 90°

Specifications

Model No.	Max pressure	Max stroke	Pump	Bending dies	Pipe wall thickness	G. W.	Dimension
DPB-2D	13T	250mm	750W	1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	2.75-4.5mm	74kg	96×35×27cm
DPB-3D	20T	290mm	750W	1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"	2.75-5mm	126kg	118×46×27cm
DPB-4D	23T	370mm	750W	1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4"	2.75-6mm	174kg	118×46×32cm